

## **P/N: MT022**

7"Digital Color Monitor

SERIES 200

**Product Specification - The SmarTruck HD Part No MT022** monitor features a high resolution 7" color display designed for vehicles with limited cab space. The digital LED back-lite screen delivers a bright, crystal clear picture with 307,000 pixels. It incorporates features requested by some of our fleet customers and OEM's and can accommodate up to three cameras and one A/V video input/output. This monitor includes a power harness and an AMP's mounting bracket and protected by our Standard 5-Year Warranty.



## **Monitor Features**

- •10G Vibration Rating
- •Digital High Resolution 337,000 Pixel Picture
- Adjustable on screen Distance Marker (Patent Pending)
- Accepts up to 3 Cameras, plus A/V input and output (Note: Only Cam Input 1 has Audio)
- •Auto-On When Vehicle is Placed in Reverse or Started
- •LED Back-lite, Low Reflection LCD
- •Built-in Surge Protector
- •Back-lit Control Buttons
- •Contrast Control
- Brightness Control
- •Built in High Fidelity Speaker
- •AMPS Head Mounting System
- 5-Year Warranty
- 4P or 6Pminidin

Product specifications subject to change on 60-day notice.

Part Number	MT022
Video System	NTSC/PAL Auto Detection
LCD Panel Size	5.6 Inch
Resolution	640 x (RGB) x 480
LCD Brightness	200cd/m2
Screen Mode	4:3
LCD View Angle	50° (top), 70° (Bottom), 70° (Left), 70° (Right)
Color Configuration	RGB Stripe
LCD Dimmer	Manual Adjustment
Number Of Camera Inputs	3 Channel
Number Of Triggers	3
Multi-Display Mode	-
Normal/Mirror	3 Channel
Audio Input	-
Audio Output	0.3W Mono Speaker
External Video Input	1 Channel
Speaker Impedance	32 ohm
Camera Connector	4PinMiniDIN
On-Screen Display (OSD)	English Only Support
Operating Voltage	DC12~48V / Automatic Power On/Off by ACC
Operating Temp.	-30° ~ 70° -22° ~ 158°
Storage Temp.	-40° ~ 80° -40° ~ 176°
Power Consumption	7 Watts Max.
Dimensions	165(W) x 116(D) x 28(H)mm
Weight	590g
IP Rating	-
Vibration Rating	10G
Certificated	FCC

Click on the QR Code to download this literature

